

2000 TEU Bangkok-Max Container Feeder Vessel

General:

The Concept Design was developed for ABB. The design delivers excellent fuel economy, a minimised environmental impact and a reduced need for water ballast. It also has excellent slow speed characteristics together with flexible transit speeds, loading flexibility and increased container capacity for its length, including higher than usual reefer capacity.

The propulsion efficiency is boosted by an electrically driven counter rotating ABB Azipod unit, which is fitted behind the directly driven main propeller. This system gives the vessel stateof-the-art manoeuvrability, provides redundancy and "return-to-port" power and, with an advanced electrical system including an ABB On board DC grid, the vessel will also be highly flexible with regard to transit speed, as the engines will always be running at their optimal load points at any speed from 2 to 21 knots.

The midships position of the deck house allows more containers to be carried on deck than on conventional feeder vessels with the deckhouse aft. This maintains levels of crew comfort, particularly when compared to vessels with the deckhouse forward. The vessel is prepared for a Clean Design Class notation with fuel tanks arranged in a block below the deck house.

Main Particulars:	Length o.a
-------------------	------------

Breadth moulded 30.00 m Draught, for Bangkok trade 8.20 m Draught, max. 10.50 m Deadweight Bangkok draught (8.2 m) approx. 18,300 t Deadweight max. draught (10.5 m) approx. 28,400 t

172.00 m

16,400 kW

Capacity: Container capacity

> TEU on deck 1,448 TEU TEU in holds 668 TEU Total 2,116 TEU

Speed: Service speed

Fully loaded, 10% s.m., MCR 18.00 kn Fully loaded, 0% sm., 90% MCR 21.00 kn Maximum speed

Machinery and **Equipment:**

Main engine 1 x 1,200 kW, 1 x 2,800 kW & 1 x 4,340 kW Aux. generator sets

Azipod unit 5,700 kW Shaft generator 4,000 kW

Scope of Work: Design particulars

Weight calculation (hull, outfit, machinery) and capacities Speed and power calculations, including CFD analysis

Stability calculations

3D visualization of the vessel and a 360° "fly around" movie

Ref. No.: KEH 11019

